


Nevada: Overall State Rating Report
Monthly Results as of: April 24, 2009

Considers all seven SSDQ measures and the Overriding Indicator, except measures with a rating of "Insufficient Data." States receive an overall score based on ratings in each of the measures and the Overriding Indicator. ([View Methodology](#))



Nevada: Overall State Rating

Monthly Results	MCMIS Run Date	Overall State Rating	State Data Quality Measures								Overriding Indicator *
			Crash					Inspection			Crash Consistency
			Crash Record Completeness	Non-Fatal Crash Completeness	Fatal Crash Completeness	Crash Timeliness	Crash Accuracy	Inspection Timeliness	Inspection Accuracy		
Apr '09	4/24/2009	Y	G	R	G	G	Y	G	G	No Flag	
Mar '09	3/27/2009	Y	G	R	G	G	Y	G	G	No Flag	
Feb '09	2/20/2009	Y	G	R	G	G	Y	G	G	No Flag	
Jan '09	1/23/2009	Y	G	R	G	G	Y	G	G	No Flag	
Dec '08	12/19/2008	Y	G	R	G	G	Y	G	G	No Flag	
Nov '08	11/21/2008	Y	G	R	G	G	Y	G	G	No Flag	
Oct '08	10/24/2008	Y	G	R	G	G	Y	G	G	No Flag	
Sep '08	9/26/2008	Y	G	R	G	G	Y	G	G	No Flag	
Aug '08	8/22/2008	Y	G	R	G	G	Y	G	G	No Flag	
Jul '08	7/25/2008	Y	G	R	G	G	Y	G	G	No Flag	
Jun '08	6/20/2008	Y	G	R	G	G	Y	G	G	No Flag	
May '08	5/23/2008	Y	G	R	G	G	Y	G	G	No Flag	
Apr '08	4/25/2008	Y	G	R	G	G	Y	G	G	No Flag	

Overall State Rating Description		
Rating		Criteria
Good	G	Minimum of 1 Good AND 0 Poor
Fair	Y	Maximum of 1 Poor
Poor	R	2+ Poor OR Red Flagged


* States that are red flagged are automatically rated POOR overall.
 N/A: Data Not Available- New Measure implemented Sept '07.

Data Source: FARS records and MCMIS crash and inspection records.

Nevada: Crash Rating Report

Monthly Results as of: April 24, 2009

Considers the five SSDQ crash measures and the Overriding Indicator, except measures with a rating of "Insufficient Data." States receive an overall score based on ratings in each of the crash measures and the Overriding Indicator. ([View Methodology](#))



Nevada: Crash Rating								
Monthly Results	MCMIS Run Date	Crash Rating	State Data Quality Crash Measures					Overriding Indicator *
			Crash Record Completeness	Non-Fatal Crash Completeness	Fatal Crash Completeness	Crash Timeliness	Crash Accuracy	Crash Consistency
Apr '09	4/24/2009	Y	G	R	G	G	Y	No Flag
Mar '09	3/27/2009	Y	G	R	G	G	Y	No Flag
Feb '09	2/20/2009	Y	G	R	G	G	Y	No Flag
Jan '09	1/23/2009	Y	G	R	G	G	Y	No Flag
Dec '08	12/19/2008	Y	G	R	G	G	Y	No Flag
Nov '08	11/21/2008	Y	G	R	G	G	Y	No Flag
Oct '08	10/24/2008	Y	G	R	G	G	Y	No Flag
Sep '08	9/26/2008	Y	G	R	G	G	Y	No Flag
Aug '08	8/22/2008	Y	G	R	G	G	Y	No Flag
Jul '08	7/25/2008	Y	G	R	G	G	Y	No Flag
Jun '08	6/20/2008	Y	G	R	G	G	Y	No Flag
May '08	5/23/2008	Y	G	R	G	G	Y	No Flag
Apr '08	4/25/2008	Y	G	R	G	G	Y	No Flag

Rating Criteria		
Rating		Criteria
Good	G	Minimum of 1 Good AND 0 Poor
Fair	Y	Maximum of 1 Poor
Poor	R	2+ Poor OR Red Flagged

* States that are red flagged are automatically rated POOR overall.

Data Source: FARS records and MCMIS crash records.


Nevada: Crash Record Completeness Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on the completeness of driver and vehicle crash data reported to FMCSA. ([View Methodology](#)) The completeness of the driver data is determined by the [Driver Identification Completeness Evaluation](#) and the completeness of the vehicle data is determined by the [Vehicle Identification Completeness Evaluation](#).

NEW State Data Analysis Reports for this measure: [Complete Record Analysis](#) | [Monthly Analysis](#) 

Nevada: Crash Record Completeness Measure



Nevada: Crash Record Completeness Measure

[Download Data](#)

Monthly Results	MCMIS Run Date	Event Date Range	Rating	Driver Identification Completeness Evaluation	Vehicle Identification Completeness Evaluation	Crash Record Completeness
Apr '09	4/24/2009	2/1/2008 - 1/31/2009	G	95%	95%	95%
Mar '09	3/27/2009	1/1/2008 - 12/31/2008	G	95%	94%	95%
Feb '09	2/20/2009	12/1/2007 - 11/30/2008	G	95%	94%	95%
Jan '09	1/23/2009	11/1/2007 - 10/31/2008	G	95%	94%	95%
Dec '08	12/19/2008	10/1/2007 - 9/30/2008	G	95%	95%	95%
Nov '08	11/21/2008	9/1/2007 - 8/31/2008	G	95%	95%	95%
Oct '08	10/24/2008	8/1/2007 - 7/31/2008	G	94%	95%	95%
Sep '08	9/26/2008	7/1/2007 - 6/30/2008	G	93%	95%	94%
Aug '08	8/22/2008	6/1/2007 - 5/31/2008	G	94%	96%	95%
Jul '08	7/25/2008	5/1/2007 - 4/30/2008	G	94%	96%	95%
Jun '08	6/20/2008	4/1/2007 - 3/31/2008	G	94%	96%	95%
May '08	5/23/2008	3/1/2007 - 2/29/2008	G	94%	96%	95%
Apr '08	4/25/2008	2/1/2007 - 1/31/2008	G	93%	97%	95%

Driver Identification Completeness

Monthly Results	MCMIS Run Date	Crash Records Evaluated	Records with Complete Driver Information		# Records with Driver Information				
			# Records	% Records	License Number	Date of Birth	First Name	Last Name	License Class
Apr '09	4/24/2009	544	519	95%	540	540	540	540	519
Mar '09	3/27/2009	559	532	95%	555	555	555	555	532
Feb '09	2/20/2009	560	531	95%	557	557	557	557	531
Jan '09	1/23/2009	561	534	95%	558	557	558	558	535
Dec '08	12/19/2008	550	524	95%	548	547	548	548	525
Nov '08	11/21/2008	561	532	95%	558	557	558	558	533
Oct '08	10/24/2008	575	541	94%	570	571	572	572	542
Sep '08	9/26/2008	580	542	93%	577	578	579	579	543
Aug '08	8/22/2008	565	532	94%	563	564	565	565	533
Jul '08	7/25/2008	563	529	94%	561	562	563	563	530
Jun '08	6/20/2008	557	523	94%	555	556	557	557	524
May '08	5/23/2008	594	560	94%	591	592	593	593	561
Apr '08	4/25/2008	589	550	93%	586	587	588	588	551

Vehicle Identification Completeness

Monthly Results	MCMIS Run Date	Crash Records Evaluated	Records with Complete Vehicle Information		# Records with Vehicle Information				
			# Records	% Records	Vehicle Identification #	License Plate #	Vehicle Configuration	Cargo Body Type	GVWR
Apr '09	4/24/2009	544	516	95%	542	543	531	537	536
Mar '09	3/27/2009	559	528	94%	557	558	548	551	547
Feb '09	2/20/2009	560	524	94%	557	559	548	551	546
Jan '09	1/23/2009	561	530	94%	558	560	552	553	548
Dec '08	12/19/2008	550	520	95%	547	549	542	543	538
Nov '08	11/21/2008	561	531	95%	559	560	552	552	549
Oct '08	10/24/2008	575	545	95%	573	574	567	565	563
Sep '08	9/26/2008	580	551	95%	579	578	573	570	568
Aug '08	8/22/2008	565	542	96%	564	563	561	556	556
Jul '08	7/25/2008	563	540	96%	562	561	559	554	554
Jun '08	6/20/2008	557	536	96%	556	556	553	548	549
May '08	5/23/2008	594	571	96%	592	593	590	585	585
Apr '08	4/25/2008	589	569	97%	587	588	585	583	580

Rating Criteria		
Rating		Criteria
Good		Percentage of completed driver and vehicle information is >= 85%
Fair		Percentage of completed driver and vehicle information is 70-84%
Poor		Percentage of completed driver and vehicle information is < 70%


Data Source: MCMIS fatal and non-fatal crash records for 12 months that represent interstate and intrastate carriers and includes large truck and bus vehicle types.

Nevada: Non-Fatal Crash Completeness Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on a ratio of reported to predicted non-fatal crash records reported to MCMIS. The number of reported non-fatal crash records was calculated using a 12-month time period that ends six months prior to the MCMIS snapshot date. ([View Methodology](#))

Nevada: Non-Fatal Crash Completeness Measure



Nevada: Non-Fatal Crash Completeness Measure

[Download Data](#)

Monthly Results	MCMIS Run Date	Rating	Non-Fatal Crash Completeness				Crash Year (FARS)	Fatal Crash Records (FARS) (Used to Predict Non-Fatals)			
			Event Date Range	Predicted Non-Fatals	Reported Non-Fatals	Reported/Predicted		Crash Year - 2	Crash Year - 1	Current Crash Year	Average
Apr '09	4/24/2009	R	11/1/2007 - 10/31/2008	1,199	540	45%	2007	51	46	30	42
Mar '09	3/27/2009	R	10/1/2007 - 9/30/2008	1,199	541	45%	2007	51	46	30	42
Feb '09	2/20/2009	R	9/1/2007 - 8/31/2008	1,199	541	45%	2007	51	46	30	42
Jan '09	1/23/2009	R	8/1/2007 - 7/31/2008	1,199	552	46%	2007	51	46	30	42
Dec '08	12/19/2008	R	7/1/2007 - 6/30/2008	1,199	554	46%	2007	51	46	30	42
Nov '08	11/21/2008	R	6/1/2007 - 5/31/2008	1,199	539	45%	2007	51	46	30	42
Oct '08	10/24/2008	R	5/1/2007 - 4/30/2008	1,199	535	45%	2007	51	46	30	42
Sep '08	9/26/2008	R	4/1/2007 - 3/31/2008	1,199	530	44%	2007	51	46	30	42
Aug '08	8/22/2008	R	3/1/2007 - 2/29/2008	1,198	567	47%	2006	30	51	46	42
Jul '08	7/25/2008	R	2/1/2007 - 1/31/2008	1,198	562	47%	2006	30	51	46	42
Jun '08	6/20/2008	R	1/1/2007 - 12/31/2007	1,198	563	47%	2006	30	51	46	42
May '08	5/23/2008	R	12/1/2006 - 11/30/2007	1,198	577	48%	2006	30	51	46	42
Apr '08	4/25/2008	R	11/1/2006 - 10/31/2007	1,198	570	48%	2006	30	51	46	42

Rating Criteria

Rating	Criteria
Good	Percentage of non-fatal crash records reported is >= 75%
Fair	Percentage of non-fatal crash records reported is 50-74%
Poor	Percentage of non-fatal crash records reported is < 50%
Insufficient Data	State has < 15 average # of fatal crash records AND percentage of non-fatal crash records reported is < 50%

Data Source: MCMIS crash records for 12 months that represent interstate and intrastate carriers and includes large truck and bus vehicle types.


Nevada: Fatal Crash Completeness Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on a comparison of the number of State-reported fatal crash records in MCMIS to the number of fatal crash records reported in FARS. ([View Methodology](#))

NEW State Data Analysis Reports for this measure: [Matching Tool](#)

Nevada: Fatal Crash Completeness Measure



Nevada: Fatal Crash Completeness Measure

[Download Data](#)

Monthly Results	MCMIS Run Date	Rating	Fatal Crash Year	Fatal Crash Records		
				FARS	MCMIS	MCMIS as a % of FARS
Apr '09	4/24/2009	G	2007	25	27	108%
Mar '09	3/27/2009	G	2007	25	27	108%
Feb '09	2/20/2009	G	2007	25	27	108%
Jan '09	1/23/2009	G	2007	25	27	108%
Dec '08	12/19/2008	G	2007	25	27	108%
Nov '08	11/21/2008	G	2007	25	27	108%
Oct '08	10/24/2008	G	2007	25	27	108%
Sep '08	9/26/2008	G	2007	25	27	108%
Aug '08	8/22/2008	G	2006	43	45	105%
Jul '08	7/25/2008	G	2006	43	45	105%
Jun '08	6/20/2008	G	2006	43	45	105%
May '08	5/23/2008	G	2006	43	45	105%
Apr '08	4/25/2008	G	2006	43	45	105%

Rating Criteria

Rating	Criteria
Good	G MCMIS as a % of FARS is >= 90%
Fair	Y MCMIS as a % of FARS is 80-89%
Poor	R MCMIS as a % of FARS is < 80%
Insufficient data	I State has < 15 FARS records AND MCMIS as a % of FARS is < 80%

Data Source: FARS records and MCMIS crash records that represent interstate and intrastate carriers and include **large truck** vehicle type involved in fatal crashes.


Nevada: Crash Timeliness Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on the percentage of crash records reported to FMCSA within 90 days over a 12-month period. ([View Methodology](#))

NEW State Data Analysis Reports for this measure: [Monthly Analysis](#) | [MCMIS Upload Frequency](#)

Nevada: Crash Timeliness Measure



Nevada: Crash Timeliness Measure

[Download Data](#)

Monthly Results	MCMIS Run Date	Event Date Range	Rating	# Interstate & Intrastate Crash Records	# Records Reported w/in 90 Days	% Records Reported w/in 90 Days
Apr '09	4/24/2009	2/1/2008 - 1/31/2009	G	544	525	97%
Mar '09	3/27/2009	1/1/2008 - 12/31/2008	G	559	537	96%
Feb '09	2/20/2009	12/1/2007 - 11/30/2008	G	560	538	96%
Jan '09	1/23/2009	11/1/2007 - 10/31/2008	G	561	536	96%
Dec '08	12/19/2008	10/1/2007 - 9/30/2008	G	550	532	97%
Nov '08	11/21/2008	9/1/2007 - 8/31/2008	G	561	539	96%
Oct '08	10/24/2008	8/1/2007 - 7/31/2008	G	575	550	96%
Sep '08	9/26/2008	7/1/2007 - 6/30/2008	G	580	550	95%
Aug '08	8/22/2008	6/1/2007 - 5/31/2008	G	565	537	95%
Jul '08	7/25/2008	5/1/2007 - 4/30/2008	G	563	533	95%
Jun '08	6/20/2008	4/1/2007 - 3/31/2008	G	557	529	95%
May '08	5/23/2008	3/1/2007 - 2/29/2008	G	594	559	94%
Apr '08	4/25/2008	2/1/2007 - 1/31/2008	G	589	554	94%

Rating Criteria

Rating	Criteria
Good G	Percentage reported within 90 Days is >= 85%
Fair Y	Percentage reported within 90 Days is 60-84%
Poor R	Percentage reported within 90 Days is < 60%
Insufficient data I	State has < 15 records reported in current timeframe AND percentage reported within 90 Days is < 60%

Data Source: MCMIS fatal and non-fatal crash records for 12 months that represent interstate and intrastate carriers and includes large truck and bus vehicle types.


Restricted to Authorized FMCSA and State Enforcement Users. [A&I User Login Required](#)

Nevada: Crash Accuracy Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on the percentage of crash records reported by the State over a 12-month period that were matched to a company registered in MCMIS. ([View Methodology](#))

NEW State Data Analysis Report for this measure: [Agency and Badge #](#)



Nevada: Crash Accuracy Measure										Download Data
Monthly Results	MCMIS Run Date	Event Date Range	Rating	# Interstate & HM Intrastate Crash Records	# UnMatched Records	% UnMatched Records	# Matched Records	% Matched Records		
Apr '09	4/24/2009	2/1/2008 - 1/31/2009		479	38	8%	441	92%		
Mar '09	3/27/2009	1/1/2008 - 12/31/2008		500	43	9%	457	91%		
Feb '09	2/20/2009	12/1/2007 - 11/30/2008		499	44	9%	455	91%		
Jan '09	1/23/2009	11/1/2007 - 10/31/2008		497	45	9%	452	91%		
Dec '08	12/19/2008	10/1/2007 - 9/30/2008		496	59	12%	437	88%		
Nov '08	11/21/2008	9/1/2007 - 8/31/2008		506	59	12%	447	88%		
Oct '08	10/24/2008	8/1/2007 - 7/31/2008		516	54	10%	462	90%		
Sep '08	9/26/2008	7/1/2007 - 6/30/2008		521	56	11%	465	89%		
Aug '08	8/22/2008	6/1/2007 - 5/31/2008		506	57	11%	449	89%		
Jul '08	7/25/2008	5/1/2007 - 4/30/2008		497	52	10%	445	90%		
Jun '08	6/20/2008	4/1/2007 - 3/31/2008		494	55	11%	439	89%		
May '08	5/23/2008	3/1/2007 - 2/29/2008		531	60	11%	471	89%		
Apr '08	4/25/2008	2/1/2007 - 1/31/2008		529	60	11%	469	89%		

Rating Criteria		
Rating		Criteria
Good		Percentage of matched records is >= 95%
Fair		Percentage of matched records is 85-94%
Poor		Percentage of matched records is < 85%
Insufficient data		State has < 15 records reported in current timeframe AND percentage of matched records is < 85%

Data Source: MCMIS fatal and non-fatal crash records for 12 months that represent interstate carriers and intrastate carriers transporting hazardous material and includes large truck and bus vehicle types. (Excludes crash records entered per FMCSA's "Procedures for Entering Crashes without Carrier Identification into SAFETYNET")

Restricted to Authorized FMCSA and State Enforcement Users. [A&I User Login Required](#)


Nevada: Inspection Timeliness Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on the percentage of inspection records reported to FMCSA within 21 days over a 12-month period. ([View Methodology](#))

NEW State Data Analysis Reports for this measure: [Monthly Analysis](#) | [Inspector ID](#) | [Facility Type & Insp. Level](#) | [County](#)

Nevada: Inspection Timeliness Measure



Nevada: Inspection Timeliness Measure

[Download Data](#)

Monthly Results	MCMIS Run Date	Event Date Range	Rating	# Interstate & Intrastate Inspection Records	# Records Reported w/in 21 Days	% Records Reported w/in 21 Days
Apr '09	4/24/2009	2/1/2008 - 1/31/2009		30,067	29,300	97%
Mar '09	3/27/2009	1/1/2008 - 12/31/2008		29,825	29,047	97%
Feb '09	2/20/2009	12/1/2007 - 11/30/2008		29,487	28,711	97%
Jan '09	1/23/2009	11/1/2007 - 10/31/2008		29,440	28,717	98%
Dec '08	12/19/2008	10/1/2007 - 9/30/2008		29,995	27,214	91%
Nov '08	11/21/2008	9/1/2007 - 8/31/2008		29,649	26,869	91%
Oct '08	10/24/2008	8/1/2007 - 7/31/2008		29,174	26,337	90%
Sep '08	9/26/2008	7/1/2007 - 6/30/2008		28,448	25,631	90%
Aug '08	8/22/2008	6/1/2007 - 5/31/2008		28,392	25,605	90%
Jul '08	7/25/2008	5/1/2007 - 4/30/2008		28,896	26,183	91%
Jun '08	6/20/2008	4/1/2007 - 3/31/2008		28,582	25,965	91%
May '08	5/23/2008	3/1/2007 - 2/29/2008		28,888	26,356	91%
Apr '08	4/25/2008	2/1/2007 - 1/31/2008		29,249	26,789	92%

Rating Criteria

Rating	Criteria
Good	Percentage reported within 21 Days is >= 85%
Fair	Percentage reported within 21 Days is 60-84%
Poor	Percentage reported within 21 Days is < 60%

Data Source: MCMIS inspection records for 12 months that represent interstate and intrastate carriers and includes large truck and bus vehicle types.


Restricted to Authorized FMCSA and State Enforcement Users. [A&I User Login Required](#)

Nevada: Inspection Accuracy Measure Report

Monthly Results as of: April 24, 2009

Determines a rating based on the percentage of inspection records reported by the States over a 12-month period that were matched to a company registered in MCMIS. [\(View Methodology\)](#)

NEW State Data Analysis Reports for this measure: [Inspector ID](#)



Nevada: Inspection Accuracy Measure									Download Data
Monthly Results	MCMIS Run Date	Event Date Range	Rating	# Interstate & HM Intrastate Inspection Records	# UnMatched Records	% UnMatched Records	# Matched Records	% Matched Records	
Apr '09	4/24/2009	2/1/2008 - 1/31/2009	Good	27,267	755	3%	26,512	97%	
Mar '09	3/27/2009	1/1/2008 - 12/31/2008	Good	27,005	744	3%	26,261	97%	
Feb '09	2/20/2009	12/1/2007 - 11/30/2008	Good	26,645	730	3%	25,915	97%	
Jan '09	1/23/2009	11/1/2007 - 10/31/2008	Good	26,546	748	3%	25,798	97%	
Dec '08	12/19/2008	10/1/2007 - 9/30/2008	Good	27,049	754	3%	26,295	97%	
Nov '08	11/21/2008	9/1/2007 - 8/31/2008	Good	26,582	749	3%	25,833	97%	
Oct '08	10/24/2008	8/1/2007 - 7/31/2008	Good	26,080	756	3%	25,324	97%	
Sep '08	9/26/2008	7/1/2007 - 6/30/2008	Good	25,378	750	3%	24,628	97%	
Aug '08	8/22/2008	6/1/2007 - 5/31/2008	Good	25,298	797	3%	24,501	97%	
Jul '08	7/25/2008	5/1/2007 - 4/30/2008	Good	25,615	837	3%	24,778	97%	
Jun '08	6/20/2008	4/1/2007 - 3/31/2008	Good	25,333	876	3%	24,457	97%	
May '08	5/23/2008	3/1/2007 - 2/29/2008	Good	25,645	941	4%	24,704	96%	
Apr '08	4/25/2008	2/1/2007 - 1/31/2008	Good	25,971	966	4%	25,005	96%	

Rating Criteria		
Rating	Criteria	
Good	Percentage of matched records is >= 95%	Good
Fair	Percentage of matched records is 85-94%	Fair
Poor	Percentage of matched records is < 85%	Poor


Data Source: MCMIS inspection records for 12 months that represent interstate carriers and intrastate carriers transporting hazardous material and includes large truck and bus vehicle types.

Restricted to Authorized FMCSA and State Enforcement Users. [A&I User Login Required](#)

Nevada: Crash Consistency Indicator Report
Monthly Results as of: April 24, 2009

Indicates States that have reported less than 50% of non-fatal crash records for the current 12-month period compared to the yearly average, based on the previous 36-months. [\(View Methodology\)](#)

Nevada: Crash Consistency Overriding Indicator



Nevada: Crash Consistency Overriding Indicator

[Download Data](#)

Monthly Results	MCMIS Run Date	Event Date Range	Rating	Year 1	Year 2	Year 3	Avg # Records over Previous 3 Years	Total # Records for Date Range	Estimate Reported for Date Range
				Date Range -3 Years	Date Range -2 Years	Date Range -1 Year			
Apr '09	4/24/2009	2/1/2008 - 1/31/2009	No Flag	636	591	562	596	523	88%
Mar '09	3/27/2009	1/1/2008 - 12/31/2008	No Flag	636	576	562	591	540	91%
Feb '09	2/20/2009	12/1/2007 - 11/30/2008	No Flag	614	575	576	588	541	92%
Jan '09	1/23/2009	11/1/2007 - 10/31/2008	No Flag	595	597	569	587	540	92%
Dec '08	12/19/2008	10/1/2007 - 9/30/2008	No Flag	602	589	576	589	531	90%
Nov '08	11/21/2008	9/1/2007 - 8/31/2008	No Flag	578	604	583	588	540	92%
Oct '08	10/24/2008	8/1/2007 - 7/31/2008	No Flag	577	587	581	582	552	95%
Sep '08	9/26/2008	7/1/2007 - 6/30/2008	No Flag	573	599	587	586	554	95%
Aug '08	8/22/2008	6/1/2007 - 5/31/2008	No Flag	581	602	602	595	539	91%
Jul '08	7/25/2008	5/1/2007 - 4/30/2008	No Flag	560	622	599	594	536	90%
Jun '08	6/20/2008	4/1/2007 - 3/31/2008	No Flag	558	639	605	601	530	88%
May '08	5/23/2008	3/1/2007 - 2/29/2008	No Flag	562	646	597	602	567	94%
Apr '08	4/25/2008	2/1/2007 - 1/31/2008	No Flag	569	636	591	599	562	94%

Rating Criteria

Rating	Criteria
No Flag	Estimated Reported is >= 50%
Flag	Estimated Reported is < 50%
Insufficient data	State has < 15 records reported in current timeframe AND State has < 15 records reported in previous 3 year average AND Estimate Reported is <= 50%

Data Source: MCMIS non-fatal crash records for 12 months (plus 36 months prior average) that represent interstate and intrastate carriers and includes large truck and bus vehicle types.



Methodology for State Safety Data Quality (SSDQ)

(Results as of: April 24, 2009)

[Definitions](#)


[Revision Notes](#)

The **Methodology for State Safety Data Quality (SSDQ)** was developed by FMCSA to evaluate the completeness, timeliness, accuracy, and consistency of the State-reported commercial motor vehicle crash and inspection records in the Motor Carrier Management Information System (MCMIS). The SSDQ evaluation uses a 12-month time period that ends three months prior to the MCMIS snapshot for each measure, unless otherwise stated in the rating description. Crash and inspection records were used in this evaluation if the date of the event occurred within the 12-month time period, not when the records were uploaded to MCMIS. The quality of this data is evaluated with each monthly snapshot and the States receive ratings of "Good," "Fair," or "Poor" for seven SSDQ Measures. Based on these individual ratings, plus the Overriding Indicator, each State receives an Overall State Rating. States also receive a Crash Rating that considers only the SSDQ Crash Measures and the Overriding Indicator. The methodology used to determine these ratings is provided below.

<u>Overall State Rating</u>	<u>Crash Rating</u>
State Safety Data Quality Measures	State Safety Data Quality Measures
<i>Crash</i>	<i>Crash</i>
1. Crash Record Completeness	1. Crash Record Completeness
a. Driver Identification	a. Driver Identification
b. Vehicle Identification	b. Vehicle Identification
2. Non-Fatal Crash Completeness	2. Non-Fatal Crash Completeness
3. Fatal Crash Completeness	3. Fatal Crash Completeness
4. Crash Timeliness	4. Crash Timeliness
5. Crash Accuracy	5. Crash Accuracy
<i>Inspection</i>	
6. Inspection Timeliness	
7. Inspection Accuracy	
Overriding Indicator	Overriding Indicator
1. Crash Consistency	1. Crash Consistency

State Safety Data Quality Ratings

Overall State Rating: Considers all seven SSDQ measures and the Overriding Indicator, except measures with a rating of "Insufficient Data." States receive an overall score based on ratings in each of the measures and the Overriding Indicator. A State that has received a "red flag" will be automatically rated "Poor". A State with at least one "Good" measure and no "Poor" measures receives a "Good" rating. A State with only one "Poor" measure will receive a "Fair" rating, and any State with two or more "Poor" measures will receive a "Poor" rating. (See image below.)



The Overall State Rating is determined as follows:

Rating	Criteria
Good	 Minimum of 1 Good AND 0 Poor
Fair	 Maximum of 1 Poor
Poor	 2+ Poor OR Red Flagged

* States that are red flagged are automatically rated POOR overall.

Crash Rating: Considers the five SSDQ crash measures and the Overriding Indicator, except measures with a rating of "Insufficient Data." States receive an overall score based on ratings in each of the crash measures and the Overriding Indicator. A State that has received a "red flag" will be automatically rated "Poor". A State with at least one "Good" measure and no "Poor" measures receives a "Good" rating. A State with only one "Poor" measure will receive a "Fair" rating, and any State with two or more "Poor" measures will receive a "Poor" rating. (See image below.)



The Crash Rating is determined as follows:

Rating		Criteria
Good	G	Minimum of 1 Good AND 0 Poor
Fair	Y	Maximum of 1 Poor
Poor	R	2+ Poor OR Red Flagged
* States that are red flagged are automatically rated POOR overall.		

State Safety Data Quality Measures: *Crash*

Crash Record Completeness: Average of Driver and Vehicle Identification Completeness Evaluations

The Crash Record Completeness Measure evaluates fatal and non-fatal crash records that represent interstate and intrastate carriers and includes large truck and bus vehicle types. This measure determines a rating based on the completeness of driver and vehicle crash data reported to FMCSA. A State's rating is determined by evaluating the completeness of the driver data and vehicle data separately and then averaging these results together. The completeness of the driver data is determined by the **Driver Identification Completeness Evaluation** and the completeness of the vehicle data is determined by the **Vehicle Identification Completeness Evaluation**.



Driver Identification Completeness Evaluation

This evaluation determines the percentage of State-reported **fatal and non-fatal** crash records in the MCMIS database with complete driver information (i.e., the number of crash records with complete driver information divided by the number of crash records reported) over a 12-month time period. A State-reported crash record is considered complete when the following information is provided: driver license number, driver date-of-birth, driver first name, driver last name, and license class. If **any** of this information is missing, a record is considered incomplete.

Vehicle Identification Completeness Evaluation

This evaluation determines the percentage of State-reported **fatal and non-fatal** crash records in the MCMIS database with complete vehicle information (i.e., the number of crash records with complete vehicle information divided by the number of crash records reported) over a 12-month time period. A State-reported crash record is considered complete when the following information is provided: vehicle identification number, license plate number, vehicle configuration, cargo body type, and gross vehicle weight rating. If **any** of this information is missing, a record is considered incomplete.

The Crash Record Completeness rating is determined as follows:

Rating		Criteria
Good	G	Percentage of completed driver and vehicle information is $\geq 85\%$
Fair	Y	Percentage of completed driver and vehicle information is 70 - 84%
Poor	R	Percentage of completed driver and vehicle information is $< 70\%$

Non-Fatal Crash Completeness: *Percentage of Non-Fatal Crash Records Reported*

The Non-Fatal Crash Completeness Measure evaluates crash records that represent interstate and intrastate carriers and includes large truck and bus vehicle types. This measure determines a rating based on a ratio of reported to predicted non-fatal crash records reported to MCMIS. The number of reported non-fatal crash records was calculated using a 12-month time period that ends **six months** prior to the MCMIS snapshot date.

A statistical model was developed using data from eight States to predict the number of non-fatal reportable crash involvements. A three-year average of fatal crash records was entered into this model to derive the predicted non-fatal crash record values. Due to the inherent variability of crash data reporting by individual States, the Non-Fatal Crash Completeness Measure is intended to serve as a guideline to assess whether a State's non-fatal crash reporting falls within an expected range, as determined by the model.

As data from more States become available for analysis, the sample size for the model will increase, which should result in more precise predictions.

The percent non-fatal crash completeness is determined by dividing the number of reported non-fatal crash records by the number of predicted non-fatal crash records:

$$\% \text{ Non-Fatal Crash Completeness} = \frac{\# \text{ Reported Non-Fatals}}{\# \text{ Predicted Non-Fatals}}$$

The Non-Fatal Crash Completeness rating is determined as follows:

Rating		Criteria
Good		Percentage of non-fatal crash records reported is >= 75%
Fair		Percentage of non-fatal crash records reported is 50 - 74%
Poor		Percentage of non-fatal crash records reported is < 50%
Insufficient Data		State has < 15 average # of fatal crash records AND Percentage of non-fatal crash records reported is < 50%

Fatal Crash Completeness: *Percentage of Fatal Crash Records Reported*

The Fatal Crash Completeness Measure evaluates only those records that represent **large trucks** involved in fatal crashes that occurred within the calendar year. This measure determines a rating based on a comparison of the **number** of State-reported fatal crash records in MCMIS to the **number** of fatal crash records reported in the Fatality Analysis Reporting System (FARS). FARS is the national database of fatal motor vehicle crashes maintained by the National Highway Traffic Safety Administration (NHTSA).

The Fatal Crash Completeness rating is determined as follows:

Rating		Criteria
Good		MCMIS as a % of FARS is >= 90%
Fair		MCMIS as a % of FARS is 80 - 89%
Poor		MCMIS as a % of FARS is < 80%
Insufficient Data		State has < 15 FARS records AND MCMIS as a % of FARS is < 80%

Crash Timeliness: *Percentage of Crash Records Reported within 90 Days*

The Crash Timeliness Measure evaluates fatal and non-fatal crash records that represent interstate and intrastate carriers and includes large truck and bus vehicle types. This measure determines a rating based on the percentage of crash records reported to FMCSA within 90 days over a 12-month period.

The Crash Timeliness rating is determined as follows:

Rating		Criteria
Good		Percentage reported within 90 Days is >= 85%
Fair		Percentage reported within 90 Days is 60 - 84%
Poor		Percentage reported within 90 Days is < 60%
Insufficient Data		State has < 15 records reported in current timeframe AND percentage reported within 90 Days is < 60%

Crash Accuracy: *Percentage of Matched Crash Records*

The Crash Accuracy Measure evaluates fatal and non-fatal crash records that represent interstate carriers and intrastate carriers transporting hazardous material and includes large truck and bus vehicle types. This measure determines a rating based on the percentage of crash records reported by the State over a 12-month period that were matched to a company registered in MCMIS. (Crash records entered per FMCSA's "[Procedures for Entering Crashes without Carrier Identification into SAFETYNET](#)" are not evaluated by this measure.)

The Crash Accuracy rating is determined as follows:

Rating		Criteria
Good		Percentage of matched records is >= 95%
Fair		Percentage of matched records is 85 - 94%
Poor		Percentage of matched records is < 85%
Insufficient Data		State has < 15 records reported in current timeframe AND percentage of matched records is < 85%

State Safety Data Quality Measures: Inspection

Inspection Timeliness: *Percentage of Inspection Records Reported within 21 Days*

The Inspection Timeliness Measure evaluates inspection records that represent interstate and intrastate carriers and includes large truck and bus vehicle types. This measure determines a rating based on the percentage of inspection records reported to FMCSA within 21 days over a 12-month period.

The Inspection Timeliness rating is determined as follows:

Rating		Criteria
Good		Percentage reported within 21 Days is >= 85%
Fair		Percentage reported within 21 Days is 60 - 84%
Poor		Percentage reported within 21 Days is < 60%

Inspection Accuracy: *Percentage of Matched Inspection Records*

The Inspection Accuracy Measure evaluates inspection records that represent interstate carriers and intrastate carriers transporting hazardous material and includes large truck and bus vehicle types. This measure determines a rating based on the percentage of inspection records reported by the States over a 12-month period that were matched to a company registered in MCMIS.

The Inspection Accuracy rating is determined as follows:

Rating		Criteria
Good		Percentage of matched records is >= 95%
Fair		Percentage of matched records is 85 - 94%
Poor		Percentage of matched records is < 85%

Overriding Indicator

Crash Consistency*: *Percentage of State-Reported Non-Fatal Crash Records*

The Crash Consistency Overriding Indicator evaluates non-fatal crash records that represent interstate and intrastate carriers and includes large truck and bus vehicle types. This "red flag" indicates States that have reported less than 50% of non-fatal crash records for the current 12-month period compared to the yearly average, based on the previous 36-months.

The Crash Consistency Overriding Indicator "flag" is determined as follows:

Rating		Criteria
No Flag		Estimate Reported is >= 50%
Red Flag		Estimate Reported is < 50%
Insufficient Data		State has < 15 records reported in current timeframe AND State has < 15 records reported in previous 3 year average AND Estimate Reported is <= 50%

* States that have an obvious and significant decline in crash record reporting will be categorized as Poor in the Overall State Rating and Crash Rating, without regard to their rating on other measures.

Definitions:

Large truck: Any truck having a gross vehicle weight rating (GVWR) of more than 10,000 pounds or a gross combination weight rating (GCWR) over 10,000 pounds.

Bus: A motor vehicle with seats for at least nine (9) people, including the driver's seat.

Interstate Carrier: Carriers that transport a commodity outside the state of its place of business.

Intrastate Carrier: Carriers that transport a commodity only within the state of its place of business.

Fatal Crash: A crash where one or more persons dies within 30 days of the crash. The fatality does not have to occur at the scene of the crash. It includes any person involved in the crash, including pedestrians and bicyclists, as well as occupants of the passenger cars and trucks.

Non-fatal crash: A crash where one or more persons has non-fatal injuries requiring transportation by a vehicle for the purpose of obtaining immediate medical attention; or one or more of the vehicles were towed away from the scene due to "disabling damage". The towed vehicle need not be the truck involved in the crash.

Revision Notes: Improvements or changes made to the "State Safety Data Quality" methodology are documented below.

October 30, 2007

The SSDQ Overall State Rating methodology has changed. It now includes the Crash Record Completeness Measure and the Non-Fatal Crash Completeness Measure. A Crash Rating has been developed to evaluate only crash data quality.

June 23, 2006

The Crash Accuracy Measure has changed. The crash accuracy analysis will now exclude all "Carrier Non-Identifiable" crash records. Changing this analysis will prevent records that are entered using FMCSA's guidelines on entering crash records without carrier identification from being included in the calculation of a State's accuracy measure.

March 31, 2006

The Crash and Inspection Timeliness Measure has changed. The timeliness analysis will now include "all" (both 'add' and 'change') records. Changing this analysis will allow all crash and inspection records uploaded to MCMIS within a specific timeframe to be evaluated. Previous releases only included 'add' records.

December 23, 2004

The crash and roadside inspection accuracy measures will include interstate carriers and intrastate hazardous material carriers in its analysis to determine the percentage of records reported in the MCMIS database that were matched to a motor carrier in MCMIS. Previous releases only included interstate carriers.